

Advertising Excellence Award

Presented to:

GfG Instrumentation Inc.

Product category:

Facility Safety

Appearing in:



March 2015

Publisher

AdScore

Multigas monitors from GfG Instrumentation
Spectacular performance, Exceptional value!

The **G450 Confined Space Gas Detector** is a rugged, compact instrument for detection of O₂, LEL, CO and H₂S. All four sensors are warranted for **3 full years**. Interchangeable rechargeable and alkaline battery packs provide over 20 hours of continuous operation.

The **G460 Multigas one-to-six gas monitor** offers the widest range of sensors and techniques in a compact instrument on the market today. The choice includes a wide selection of LEL and electrochemical toxic gas sensors, PID for measuring trace VOCs, and our patented family of advanced (NDS) sensors for combustible gas and CO measurement.

The optional **MP-2 Motorized Pump** is self-powered, and uses the same interchangeable battery packs as the instrument. The powerful pump can be attached to the instrument any time you need to sample remote locations up to 100 feet or more away from the instrument. The smart pump operates in either diffusion or sample draw mode.

The **DS-400** family of fully automatic test and calibration systems is available with up to 4 programmable gas mixes. GfG Docking Stations make bump tests and record keeping EASY!

Be SAFE with GfG!
See us at FIC Booth # 6447
CIRCLE 168 on page 247

GfG Instrumentation
1194 Oak Street Drive, Suite 20, Ann Arbor, MI 48106 USA
Phone: (248) 765-0275 • Fax: (734) 765-0264 • Canada: (800) 598-0210
Website: www.goodson-gas.com • info@gfginc.com
www.gfginc.com

USA and Canada: info@gfginc.com
Latin America: info@gfginc.com
Germany: info@gfginc.com
South Africa: info@gfginc.com
Asia Pacific: info@gfginc.com
Europe: info@gfginc.com
Switzerland: info@gfginc.com





Multigas monitors from GfG Instrumentation

**Spectacular performance,
Exceptional value!**

The **G450 Confined Space Gas Detector** is a rugged, compact instrument for detection of O₂, LEL, CO and H₂S. All four **sensors warranted for 3 full years**. Interchangeable rechargeable and alkaline battery packs provide over 20 hours of continuous operation.

The **G460 Multigas one-to-six gas monitor** offers the widest range of sensors and technologies in a compact instrument on the market today. The choices include a wide selection of LEL and electrochemical toxic gas sensors, PID for measuring toxic VOCs, and our patented family of infrared (NDIR) sensors for combustible gas and CO₂ measurement.

The optional **MP-2 Motorized Pump** is self-powered, and uses the same interchangeable battery packs as the instruments. The powerful pump can be attached to the instrument any time you need to sample remote locations up to 100 feet or more away from the instrument. The smart pump operates in either diffusion or sample draw mode.

The **DS-400** family of fully automatic test and calibration stations is available with up to 4 programmable gas inlets. **GfG Docking Stations** make bump tests and record keeping **EASY!**



Be SAFE with GfG!



USA and Canada info@gfg-inc.com
Latin America info@gfg-inc.com
Germany info@gfg-mbh.com
South Africa gfgsa@icon.co.za
Asia Pacific info@gasdetection.asia
Europe info@gfgeurope.com
Switzerland info@gfg.ch



GfG Instrumentation

1194 Oak Valley Drive, Suite 20, Ann Arbor, MI 48108 USA
Phone: (734) 769-0573 • Toll Free (USA / Canada): (800) 959-0329
Website: www.goodforgas.com • info@gfg-inc.com

Worldwide Manufacturer of Gas Detection Solutions